



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/718,489	11/20/2003	Cheol-Jae Park	2316-032210	8439
7590 07/16/2004			EXAMINER	
William H. Logsdon WEBB ZIESENHEIM LOGSDON ORKIN & HANSON, P.C. 700 Koppers Building			VON BUHR, MARIA N	
			ART UNIT	PAPER NUMBER
436 Seventh Avenue			2125	
Pittsburgh, PA 15219-1818			DATE MAILED: 07/16/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
Supplemental Notice of Allowability	10/718,489	PARK ET AL.			
Notice of Allowability	Examiner	Art Unit			
	Maria N. Von Buhr	2125			
The MAILING DATE of this communication	annears on the cover sheet with the	correspondence address			
All claims being allowable, PROSECUTION ON THE MERIT herewith (or previously mailed), a Notice of Allowance (PTO NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEI of the Office or upon petition by the applicant. See 37 CFR	S IS (OR REMAINS) CLOSED in this a L-85) or other appropriate communicatio NT RIGHTS. This application is subject	pplication. If not included on will be mailed in due course. THIS			
1. A This communication is responsive to 20 November 20	003, 21 April 2004 & 21 June 2004.				
2. The allowed claim(s) is/are <u>1-30</u> .					
3. $\boxtimes$ The drawings filed on <u>20 November 2003</u> are accepted	ed by the Examiner.	,			
<ul> <li>4.  Acknowledgment is made of a claim for foreign prior</li> <li>a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents</li> </ul>					
Certified copies of the priority documents					
3. ☐ Copies of the certified copies of the priori					
International Bureau (PCT Rule 17.2(a)).					
* Certified copies not received:					
Applicant has THREE MONTHS FROM THE "MAILING DAN noted below. Failure to timely comply will result in ABAND THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	ATE" of this communication to file a reply ONMENT of this application.	y complying with the requirements			
5. A SUBSTITUTE OATH OR DECLARATION must be s INFORMAL PATENT APPLICATION (PTO-152) which	submitted. Note the attached EXAMINER or gives reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets"	) must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached					
1) 🗌 hereto or 2) 📗 to Paper No./Mail Date _	·				
(b) ☐ including changes required by the attached Exam Paper No./Mail Date	iner's Amendment / Comment or in the	Office action of			
Identifying indicia such as the application number (see 37 Ceach sheet. Replacement sheet(s) should be labeled as suc	CFR 1.84(c)) should be written on the draw h in the header according to 37 CFR 1.121	ings in the front (not the back) of (d).			
7. DEPOSIT OF and/or INFORMATION about the cattached Examiner's comment regarding REQUIREM	deposit of BIOLOGICAL MATERIAL ENT FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E Making of let	Detect Application (DTO 450)			
<ol> <li>□ Notice of References Cited (PTO-892)</li> <li>□ Notice of Draftperson's Patent Drawing Review (PTO-9</li> </ol>		Patent Application (PTO-152)			
	Paper No./Mail Da				
3. Information Disclosure Statements (PTO-1449 or PTO/Paper No./Mail Date 06212004	SB/08), 7. ☐ Examiner's Amend				
4. Examiner's Comment Regarding Requirement for Depo	osit 8. 🛛 Examiner's Statem	ent of Reasons for Allowance			

Maria N. Von Buhr **Primary Patent Examiner** 

Art Unit: 2125

of Biological Material

9. Other \_

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

None of the prior art of record, neither alone nor in combination, is deemed to teach nor fairly suggest the instantly claimed "a primary fault determination unit for determining whether faults have occurred in the front end part, the body part and the tail end part using values output from the actually measured data collection unit and the on-gauge ratio calculation unit; a secondary fault determination unit for determining whether an operator intervention fault, a material fault, a facility fault and a control fault have occurred using values output from the actually measured data collection unit and the preset target values set in the SCC setting unit; and a confidence rate evaluation unit for evaluating confidence rates of determination results of the secondary fault determination unit using the preset target values set in the SCC setting unit and the actually measured values," in combination with the other instantly claimed elements of the "apparatus for diagnosing faults in hot strip finishing rolling," or similar language in the other independent claim.

- 2. Any comments considered necessary by Applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maria N. Von Buhr whose telephone number is 703-305-3837. The examiner can normally be reached on M-F (9am-5pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard can be reached on 703-308-0538. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maria N. Von Buhr Primary Patent Examiner

MM Von Buhr

Art Unit 2125

MNVB 6/25/04